

## Specification Sheet

### Product: Methyl Di-Chloride (Methylene Chloride) (MDC)

| Parameters                   | Test Method | Result                 |
|------------------------------|-------------|------------------------|
| Purity %                     | By GLC      | Min. 99.9              |
| Relative Density 20°C        | ASTM D 1298 | 1.318 – 1.321          |
| Appearance                   | Visual      | Colorless clear liquid |
| Colour                       | Co-Pt       | Max. 10                |
| Acidity as HCl %w/w          | ASTM D 1613 | Max. 0.01              |
| Free Halogens                | ASTM D 4755 | Passes Test            |
| Non Volatile Matter mg/100ml | ASTM D 1353 | Max. 10                |
| Moisture Content %w/w        | ASTM D 1364 | Max. 0.1               |

**Note:**

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall AGR Enterprises be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if AGR Enterprises has been advised of the possibility of such damages.*